Journal of Orthopaedic Research
13:973-974 The Journal of Bone and Joint Surgery, Inc.
© 1995 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 13, 1995

AUTHOR INDEX

AbiEzzi SS, 594
Abrahamsson S, 459
Abrahamsson S-O, 58
Adams DJ, 690
Adams ML, 725
Akeson WH, 166, 174, 191, 594
Ales K, 250
Allen J, 317
Alman BA, 67
Amadio PC, 83
Amiel D, 58, 174, 435, 459, 562, 594
Amir G, 78
An K-N, 83, 90, 471, 578
Anderson PA, 533
Ark JW, 450
Arnoczky SP, 907
Ashton-Miller JA, 390
Ateshian GA, 450
Athanasiou KA, 483
Atkinson PJ, 936
Aune AK, 147
Ayroso AM, 751

Babyn PS, 963
Bartholmes P, 649
Bay BK, 258
Bellingham CM, 876
Benjamin M, 585
Benya P, 846
Berberian WS, 357
Bergel DH, 22
Berglund L, 83
Berglund LJ, 578
Berilla J, 945
Bertone AL, 854
Beynnon BD, 609
Black AC, 733, 740
Black J, 792
Blankevoort L, 783
Bleuit J, 220
Blomstrom GL, 184
Bodey B, 846
Bogdanske JJ, 105, 639, 869
Bogoch ER, 777, 876
Boja B, 13
Bolander ME, 761
Boskey AL, 41
Bostrom MPG, 357
Boustany NN, 733, 740
Bouvy BM, 105, 639
Brand RA, 664, 690
Brant R, 923
Brant RF, 915
Brighton CT, 553
Bronk JT, 368
Brown PR, 286
Brown TD, 690
Bruns ME, 30
Buckwalter JA, 1, 155, 307, 813
Bulman WA, 220
Buma P, 570
Burchfield DM, 930
Butler DL, 898

Callaghan JP, 809
Campbell C, 715
Carlson CS, 399, 422
Carroll NC, 96, 971
Carter BG, 854
Carter DR, 700, 824
Caterson B, 399
Chambers C, 971
Chao EYS, 90, 105, 615, 639
Cheal EJ, 513
Chen AC, 562, 751
Chimich D, 923
Ching RP, 533
Chmell MJ, 671
Choi NY, 429
Chu CR, 459
Chun DM, 751
Claes L, 629
Clark CC, 220, 553
Clohisy DR, 892
Coert JH, 83
Coessens BC, 725
Convery FR, 562
Cooke J, 824
Crowe S, 777
Curtis MJ, 286

Daly CH, 533
Das P, 824
Davidson JM, 201
Davies JP, 335
Davy D, 881
Davy DT, 279, 945
de Bri E, 769
Deacon OW, 602
Delp SL, 96, 971
Deutsch AJ, 230
DiCesare PE, 422
Dick JD, 286
Dietz G, 649
Dobson DB, 399
Donlon BS, 824
Doty SB, 41, 357
Doxey CM, 898

Eckstein F, 268
Edwards P, 915
Ekeland A, 147
Elke RPE, 513
Elmans L, 570
Engle CP, 184
Evans CE, 317
Evans CH, 184
Ewald FC, 470
Eyre D, 157

Feder SM, 898
Feighan JE, 881
Finerman GAM, 930
Finsterbush A, 78
Fischer M, 4
Fischer R, 483
Fleming BC, 609
Fornasier V, 777
Foster FS, 963
Frank C, 157, 923
Frank CB, 915
Fujie H, 429
Fujii K, 464
Fujio K, 138
Fukuda T, 123

Gahunia HK, 963
Galante JO, 792
Gallimore P, 317
Gannon J, 4
Garcia AM, 208
Gardner-Morse M, 802
Gelberman RH, 58, 459
Georgescu HI, 184
Gertner JM, 41
Gesink DS, 594
Gibbons G, 824
Gibeling JC, 861
Gibson GJ, 542
Gibson VA, 861
Gillespy T, 715
Glant TT, 792
Glaser D, 357
Glowacki K, 220
Goldberg MJ, 67
Goldberg VM, 945
Gottsauner-Wolf F, 90
Grabowski JJ, 90, 578
Gray ML, 208, 733, 740
Gray RW, 30
Green MH, 435
Griffin LV, 861
Grob D, 240
Gross TS, 708
Groszschmidt K, 620
Growney ES, 578
Guilak F, 410
Gupta MK, 824
Gustafson MB, 861
Guthrie BM, 814

Hagan J, 166
Hannafin JA, 907
Harasiewicz KA, 963
Harner CD, 429
Harrington RM, 382
Harris WH, 335
Harwood F, 58
Harwood FL, 459
Haut RC, 936
Hayes WC, 956
Healey JH, 250
Hekman E, 783
Helminen HJ, 495
Holbein O, 629
Hollinger JO, 679
Hoonjan A, 907
Horowitz SM, 325
Hostert E, 649
Howell DS, 473
Hua J, 339
Huiskes R, 503, 783
Hunziker EB, 733, 740
Hutchinson N, 824

Iannotti JP, 220
Ijiri K, 123
Imro AK, 201
Inkinen R, 495
Ishibashi T, 643
Ishibe M, 643
Itoi E, 471, 578
Iwamoto M, 838

Jacobs JJ, 792
Janssen B, 783
Jingushi S, 761
Jinnah RH, 286
Jiranek WA, 67
Johnson KA, 132
Johnstone B, 399
Jones AR, 553
Jortikka M, 495
Joyce ME, 761

Kalscheur VL, 105, 639
Kaneda K, 643
Kangaspunta P, 296
Kärrholm J, 347
Kashiwaguchi S, 429
Kierse R, 268
Kim HKW, 963
Kimura JH, 542
King GJ, 471
King GJW, 915
Kingham K, 655
Kinzl L, 629
Kitabayashi LR, 174
Kitamura A, 464
Klohnen A, 869
Koda T, 643
Konttinen YT, 296

Koo J, 143
Kotzar GM, 945
Kowalski MJ, 382
Kregor PJ, 715
Kwan MK, 562
Kwoh CK, 184

Laible JP, 802
Lammi MJ, 495
Lampard D, 602
Lane JM, 357
Larkin LA, 184
Lee J, 435
Lee JM, 876
Leopold SS, 41
Levine RE, 442
Lewallen DG, 615
Li S, 152
Lin DL, 542
Linder L, 347
Livesay GA, 429
Llinás A, 846
Loeser RF, 399
Lovász G, 846
Lowe J, 78
Luck JV Jr, 846

MacKenna DA, 191
Madsen JE, 147
Malemud CJ, 854
Mansour J, 854
Marchuk L, 923
Markel MD, 105, 615, 639, 869
Markolf KL, 930
Marshall KW, 814
Martin B, 309
Martin RB, 861
Mason RS, 655
Matsunaga S, 123
Mayes CE, 201
McCarthy DS, 115
McDonald D, 157
McGill SM, 809
McGrory BJ, 368
McKellop HA, 846
McLean ID, 602
McMahon TA, 956
Meyer MH, 30
Meyer RA Jr, 30
Midura RJ, 230
Mikulis DJ, 814
Miller RR, 201
Missri AAE, 357
Mizumoto S, 375
Mohtai M, 824
Monnier V, 13
Moran CG, 368
Moran E, 777
Moran EL, 876
Morcuende JA, 664
Morey-Holten ER, 700
Mörgelin M, 422
Moriya H, 50
Morrey BF, 471, 578
Moskowitz RW, 13
Mow VC, 410, 450, 473
Muir P, 132
Mullender MG, 503
Müller-Gerbl M, 268
Müntener M, 240
Murota K, 464

Naber SP, 67
Nakagawa Y, 375
Neidlinger-Wilke C, 629
Newton PO, 191
Ng GY, 602
Ng K, 317
Niederauer GG, 483
Nilsson KG, 347
Nishijima N, 138
Nojima T, 643
Nordsletten L, 147

Oakes BW, 602
Oates KM, 562
Oegema TR Jr, 4
Oestreicher AB, 570
Ogilvie CM, 892
Ohland KJ, 442
Ohno K, 442
Ohshima H, 22
Ohta M, 464
Ono H, 375
Otani T, 115

Pacifici M, 838
Paget S, 250
Palmer JL, 854
Parker C, 715
Parkkinen JJ, 495
Parvin D, 715
Pasumarti S, 422
Patava J, 655
Paulsson M, 422
Pawluk RJ, 450
Pedersen DR, 690
Peterson MGE, 41
Phillips FM, 832
Plaas AHK, 230
Plenk H Jr, 620
Pokharna HK, 13
Pollice PF, 325
Pomaybo AS, 442
Pope MH, 609
Posever J, 832
Poss R, 513
Pottenger LA, 832
Prewett AB, 881
Pritzker KPH, 963
Proch FS, 898
Pruitt L, 143
Puhl W, 483
Puzas JE, 643

Ralphs JR, 585
Ramnaraine MLR, 892
Rapoff AJ, 105, 639
Ratcliffe A, 410, 898
Reindel ES, 751
Reinholt FP, 769
Renström PA, 609
Rimnac CM, 143
Robinovitch SN, 956
Röcher W, 649
Rock MG, 105, 639
Rodgers WH, 671
Rosen VM, 357
Rosenwasser MP, 450
Rosier RN, 643
Rubin CT, 690, 708
Rufai A, 585

Sah RL, 751
Saha S, 524
Salehpour A, 898
Santavirta S, 196
Sarmiento A, 846
Schaffler MB, 542
Schemitsch EH, 382
Schinagl RM, 751
Schmidt CC, 184, 442
Schneider B, 620
Schneider R, 250
Schreck PJ, 174, 594
Schultz AB, 390
Schultz FM, 578
Schurman DJ, 824
Schwartz HE, 898
Schwartz HS, 671
Schwartzberg P, 250
Scully SP, 761
Seidl G, 620
Seiler JG III, 459
Senft D, 715
Setton LA, 473
Shanbhag AS, 792
Shapiro MM, 930
Shepard MF, 930
Shimada Y, 50
Shimazu A, 838
Shimizu T, 123
Shrive N, 157, 923
Shrive NG, 915
Siegl H, 620
Silverton SF, 325
Simmons C, 513
Singerman R, 279
Skjeldal S, 147
Slater M, 655
Slauterbeck JL, 930
Smith RL, 824
Sonoda M, 50
Sorsa T, 296
Soshi S, 464
Soslowsky LJ, 450
Spindler KP, 201
Stanford CM, 664
Statler K, 96
Steele LL, 166
Steinlechner M, 268
Stevanovic M, 679
Stevenson S, 881
Stokes IAF, 802
Stover SM, 861
Suda A, 296
Suger G, 629
Sugioka Y, 761
Sung K-LP, 166
Suresh S, 143
Svensson O, 769
Svitek C, 671
Swiontkowski MF, 382, 715
Szatrowski TP, 250

Takagi M, 296
Tamai S, 375
Tammi M, 495
Tanaka T, 464
Tencer AF, 533
Terek RM, 67
Theis MJ, 609
Thelen DG, 390
Thompson RC Jr, 4
Tohyama H, 609
Tomin A, 357
Tomita N, 375
Toomey S, 715
Torzilli P, 642
Torzilli PA, 41, 907
Tse M-K, 335
Tsuboyama T, 620
Tulli HM, 399

Uchiyama S, 83
Uhlig Y, 240
Urban JPG, 22

van den Berg WB, 783
van der Kraan PM, 783
van der Meulen MCH, 700
van Osch GJVM, 783
Vanderby R Jr, 105, 639, 642
Virtanen I, 495

Wada Y, 50
Walker GD, 4
Walker PS, 339
Wang H, 671
Weber BR, 240
Weiland A, 357
Weinstein SL, 2
White C, 279
White SE, 115
Whiteside LA, 115
Whittermore D, 166
Wikenheiser MA, 615
Williams PA, 524
Willits NH, 861
Wilson J, 157, 923
Windhager R, 620
Winet H, 679
Winterton P, 58
Wolfe HJ, 67
Woo SL-Y, 184, 191, 429, 442
Wood MB, 368, 725
Wood SA, 105, 639
Woods VL Jr, 174, 594
Wright T, 152
Wright TM, 143

Xiang Z, 869

Yamakawa M, 296
Yamamuro T, 138
Yngve DA, 971
Young EP, 562

Journal of Orthopaedic Research
13:975-980 The Journal of Bone and Joint Surgery, Inc.
© 1995 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 13, 1995

SUBJECT INDEX

α_1-Antitrypsin
Elastase activity, uninhibited by α_1-antitrypsin, in the periprosthetic connective matrix around loose total hip prostheses, 296

Absorptiometry
Atrophic nonunion can be predicted with dual energy x-ray absorptiometry in a canine osteotomy model, 869
Clinical reproducibility of dual energy x-ray absorptiometry, 250
Subchondral bone density in the human elbow assessed by computed tomography osteoabsorptiometry: a reflection of the loading history of the joint surfaces, 268

Adhesive strength
Adhesiveness of human ligament fibroblasts to laminin, 166
Integrative repair of articular cartilage *in vitro*: adhesive strength of the interface region, 751

Aging
Lysyl oxidase and Maillard reaction-mediated crosslinks in aging and osetoarthritic rabbit cartilage, 13

Aggrecan
Structure of chondroitin sulfate on aggrecan isolated from bovine tibial and costochondral growth plates, 230

Aggregate modulus
Biomechanical properties of third carpal articular cartilage in exercised and nonexercised horses, 854
Effects of excimer laser on healing of articular cartilage in rabbits, 483

Angulation
Effects of valgus tibial angulation on cartilage degeneration in the rabbit knee, 846

Ankle
Biomechanical analysis of the ankle anterior drawer test for anterior talofibular ligament injuries, 609

Annulus fibrosus
Effect of static load on matrix synthesis rates in the intervertebral disc measured *in vitro* by a new perfusion technique, 22

Anterior drawer test
Biomechanical analysis of the ankle anterior drawer test for anterior talofibular ligament injuries, 609

B-50/growth associated protein
Changes in innervation of long bones after insertion of an implant: immunocytochemical study in goats with antibodies to calcitonin gene-related peptide and B-50/GAP-43, 570

Bisphosphonate
Bisphosphonate (pamidronate/APD) prevents arthritis-induced loss of fracture toughness in the rabbit femoral diaphysis, 876

Blood flow
Comparison of the effect of reamed and unreamed locked intramedullary nailing on blood flow in the callus and strength of union following fracture of the sheep tibia, 382
Cortical bone perfusion in plated fractured sheep tibiae, 715
Evaluation of vascular compliance and vasoconstrictive reactions in amputated hindlimbs of rats, 375
Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 679
Indomethacin inhibition of ossification induced by direct current stimulation, 123
Reperfusion injury in vascularized bone allografts, 368

Bone
Arthritis not immobilization causes bone loss in the carrageenan injection model of inflammatory arthritis, 777
Changes in innervation of long bones after insertion of an implant: immunocytochemical study in goats with antibodies to calcitonin gene-related peptide and B-50/GAP-43, 570
Clinical reproducibility of dual energy x-ray absorptiometry, 250
Comparison of the electrical and dielectric behavior of wet human cortical and cancellous bone tissue from the distal tibia, 524
Cortical bone perfusion in plated fractured sheep tibiae, 715
Diminished material properties and altered bone structure in rat femora during pregnancy, 41
Effect of bone cylinder length on distraction osteogenesis in the rabbit tibia, 620
Evaluation of influence of 24-hour cold preservation on endothelin production and on endothelin receptors in the bone vasculature, 725
Ilizarov callus distraction produces systemic bone cell mitogens, 629
De novo synthesis of type-I collagen in bone biopsy material, 649
Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 679
Induction of bone by a demineralized bone matrix gel: a study in a rat femoral defect model, 881
Modulation of cell phenotype in human osteoblast-like cells by the simian virus, 40, 317
Polymethylmethacrylate-stimulated macrophages increase rat osteoclast precursor recruitment through their effect on osteoblasts *in vitro*, 325
Proposal for the regulatory mechanism of Wolff's law, 503
Should bone, soft-tissue, and joint injuries be treated with rest or activity (editorial), 155
Subchondral bone density in the human elbow assessed by computed tomography osteoabsorptiometry: a reflection of the loading history of the joint surfaces, 268
Texture correlation: a method for the measurement of detailed strain distributions within trabecular bone, 258
Thermal response and torque resistance of five cortical half-pins under simulated insertion technique, 615
Three-dimensional anatomy of the cancellous structures within the proximal femur from computed tomography data, 513
Tumor osteolysis in osteopetrotic mice, 892
Uniformity of resorptive bone loss induced by disuse, 708

Bone morphogenetic protein
Immunolocalization and expression of bone morphogenetic proteins 2 and 4 in fracture healing, 357

Calcaneus
Structure and histopathology of the insertional region of the human Achilles tendon, 585

Calcitonin gene-related peptide
Changes in innervation of long bones after insertion of an implant: immunocytochemical study in goats with antibodies to calcitonin gene-related peptide and B-50/GAP-43, 570

Calcium
Serum fractions and related agonists with calcium-mobilizing activity in the bovine growth plate chondrocyte, 220

Capitellocondylar total elbow
Letter to the Editors, 470

Carpal bone
Biomechanical properties of third carpal articular cartilage in exercised and nonexercised horses, 854

Carpometacarpal joint
Contact areas in the thumb carpometacarpal joint, 450

Cartilage
Biomechanical properties of third carpal articular cartilage in exercised and nonexercised horses, 854
Cartilage oligomeric matrix protein: isolation and characterization from human articular cartilage, 422
Chondrocyte deformation and local tissue strain in articular cartilage: a confocal microscopy study, 410
Correlation between synthetic activity and glycosaminoglycan concentration in epiphyseal cartilage raises questions about the regulatory role of interstitial pH, 733
Effects of basic fibroblast growth factor, transforming growth factor-β1, insulin-like growth factor-1, and insulin on human osteoarthritic articular cartilage explants, 832
Effects of excimer laser on healing of articular cartilage in rabbits, 483
Effects of valgus tibial angulation on cartilage degeneration in the rabbit knee, 846
Expression of type-X collagen in osteoarthritis, 4
Integrative repair of articular cartilage *in vitro*: adhesive strength of the interface region, 751
Lysyl oxidase and Maillard reaction-mediated crosslinks in aging and osteoarthritic rabbit cartilage, 13
Mechanical behavior of articular cartilage in shear is altered by transection of the anterior cruciate ligament, 473
Osteoarthritis in cynomolgus macaques. II. Detection of modulated proteoglycan epitopes in cartilage and synovial fluid, 399
Primary osteoarthrosis in guinea pigs: a stereological study, 769
Quantitation of articular cartilage using magnetic resonance imaging and three-dimensional reconstruction, 814
Short communication. Imaging of immature articular cartilage using ultrasound backscatter microscopy at 50 MHz, 963
Short communication. Use of a guanidine extract of demineralized bone in the treatment of osteochondral defects of articular cartilage, 464
Time-dependent changes in the response of cartilage to static compression suggest interstitial pH is not the only signaling mechanism, 740

Cartilage oligomeric matrix protein
Cartilage oligomeric matrix protein: isolation and characterization from human articular cartilage, 422

Cell cultures
Dimensional growth and extracellular matrix accumulation by neonatal rat mandibular condyles in long-term culture, 208

Effects of basic fibroblast growth factor, transforming growth factor-β1, insulin-like growth factor-1, and insulin on human osteoarthritic articular cartilage explants, 832
Endochondral resorption of chick sterna in culture, 542
Influence of short-term hydrostatic pressure on organization of stress fibers in cultured chondrocytes, 495
Integrative repair of articular cartilage *in vitro*: adhesive strength of the interface region, 751
Involvement of platelets in stimulating osteogenic activity, 655
Microvessel endothelial cells and pericytes increase proliferation and repress osteoblast phenotypic markers in rat calvarial bone cell cultures, 553
Modulation of cell phenotype in human osteoblast-like cells by the simian virus, 40, 317
Platelet-derived growth factor in fibrous musculoskeletal disorders: a study of pathologic tissue sections and *in vitro* primary cell cultures, 67
Proliferative and phenotypic responses of bone-like cells to mechanical deformation, 664
Synergistic effect of growth factors on cell outgrowth from explants of rabbit anterior cruciate and medial collateral ligaments, 435

Cement
Closeness of fit of uncemented stems improves the strain distribution in the femur, 339
Femoral component migration in total knee arthroplasty: randomized study comparing cemented and uncemented fixation of the Miller-Galante I design, 347
In vitro evaluation of bonding of the cement-metal interface of a total hip femoral component using ultrasound, 335
Polymethylmethacrylate-stimulated macrophages increase rat osteoclast precursor recruitment through their effect on osteoblasts *in vitro*, 325

Cerebral palsy
Letter to the Editors, 971

Chondrocytes
Chondrocyte deformation and local tissue strain in articular cartilage: a confocal microscopy study, 410
Correlation between synthetic activity and glycosaminoglycan concentration in epiphyseal cartilage raises questions about the regulatory role of interstitial pH, 733
Effects of fluid-induced shear on articular chondrocyte morphology and metabolism *in vitro*, 824
Influence of short-term hydrostatic pressure on organization of stress fibers in cultured chondrocytes, 495
Regulation of chondrocyte maturation by fibroblast growth factor-2 and parathyroid hormone, 838
Serum fractions and related agonists with calcium-mobilizing activity in the bovine growth plate chondrocyte, 220
Transforming growth factor-β1 and fibroblast growth factors in rat growth plate, 761

Co-contraction
Co-contraction of lumbar muscles during the development of time-varying triaxial moments, 390
Letter to the Editors, 642
Short communication. Hamstrings and gastrocnemius co-contraction protects the anterior cruciate ligament against failure: an *in vivo* study in the rat, 147

Cold storage
Effects of freeze/thaw conditioning on the tensile properties and failure mode of bone-muscle-bone units: a biomechanical and histological study in dogs, 90
Evaluation of influence of 24-hour cold preservation on endothelin production and on endothelin receptors in the bone vasculature, 725
Short communication. Frozen storage increases the ultimate compressive load of porcine vertebrae, 809

Collagen
Dose-dependent response of gamma irradiation on mechanical properties and related biochemical composition of goat bone-patellar tendon-bone allografts, 898
Endochondral resorption of chick sterna in culture, 542
De novo synthesis of type-I collagen in bone biopsy material, 649
Expression of type-X collagen in osteoarthritis, 4
Rabbit medial collateral ligament scar weakness is associated with decreased collagen pyridinoline crosslink density, 157

Compression plate
Cortical bone perfusion in plated fractured sheep tibiae, 715
Short communication. Tibial intercalary allograft incorporation: comparison of fixation with locked intramedullary nail and dynamic compression plate, 132

Computed tomography
Subchondral bone density in the human elbow assessed by computed tomography osteoabsorptiometry: a reflection of the loading history of the joint surfaces, 268
Three-dimensional anatomy of the cancellous structures within the proximal femur from computed tomography data, 513

Confocal microscopy
Chondrocyte deformation and local tissue strain in articular cartilage: a confocal microscopy study, 410

Contracture
Letter to the Editors, 971
Preserving plantar flexion strength after surgical treatment for contracture of the triceps surae: a computer simulation study, 96

Cultivation of tissue
De novo synthesis of type-I collagen in bone biopsy material, 649

Demineralized bone
Induction of bone by a demineralized bone matrix gel: a study in a rat femoral defect model, 881
Short communication. Use of a guanidine extract of demineralized bone in the treatment of osteochondral defects of articular cartilage, 464

Dielectric permittivity
Comparison of the electrical and dielectric behavior of wet human cortical and cancellous bone tissue from the distal tibia, 524

Distraction
Effect of bone cylinder length on distraction osteogenesis in the rabbit tibia, 620
Ilizarov callus distraction produces systemic bone cell mitogens, 629

Disuse
Arthritis not immobilization causes bone loss in the carrageenan injection model of inflammatory arthritis, 777
Uniformity of resorptive bone loss induced by disuse, 708

Dual energy x-ray absorptiometry
Atrophic nonunion can be predicted with dual energy x-ray absorptiometry in a canine ostectomy model, 869
Clinical reproducibility of dual energy x-ray absorptiometry, 250

Editorial
International orthopaedic education, 2
Peer review of scientific articles, 1
Should bone, soft-tissue, and joint injuries be treated with rest or activity, 155
The challenge of success for the Journal of Orthopaedic Research, 307
The editorship of Wilson Hayes, 813

Elastase
Elastase activity, uninhibited by α_1-antitrypsin, in the periprosthetic connective matrix around loose total hip prostheses, 296

Elastic modulus
Fatigue behavior of the equine third metacarpus: mechanical property analysis, 861
Rabbit medial collateral ligament scar weakness is associated with decreased collagen pyridinoline crosslink density, 157
Soft-tissue "flaws" are associated with the material properties of the healing rabbit medial collateral ligament, 923

Elbow
Letter to the Editors, 470
Subchondral bone density in the human elbow assessed by computed tomography osteoabsorptiometry: a reflection of the loading history of the joint surfaces, 268

Electrical behavior
Comparison of the electrical and dielectric behavior of wet human cortical and cancellous bone tissue from the distal tibia, 524

Electrical stimulation
Indomethacin inhibition of ossification induced by direct current stimulation, 123

Endothelium
Evaluation of influence of 24-hour cold preservation on endothelin production and on endothelin receptors in the bone vasculature, 725
Microvessel endothelial cells and pericytes increase proliferation and repress osteoblast phenotypic markers in rat calvarial bone cell cultures, 553
Reperfusion injury in vascularized bone allografts, 368

Energy absorbed to failure
Bisphosphonate (pamidronate/APD) prevents arthritis-induced loss of fracture toughness in the rabbit femoral diaphysis, 876
Diminished material properties and altered bone structure in rat femora during pregnancy, 41
Effects of freeze/thaw conditioning on the tensile properties and failure mode of bone-muscle-bone units: a biomechanical and histological study in dogs, 90
Hindlimb suspension diminishes femoral cross-sectional growth in the rat, 700
Short communication. Frozen storage increases the ultimate compressive load of porcine vertebrae, 809

Erratum
Stem curvature and load angle influence the initial relative bone-implant motion of cementless femoral stems, 151

Excimer laser
Effects of excimer laser on healing of articular cartilage in rabbits, 483

Exercise
Biomechanical properties of third carpal articular cartilage in exercised and nonexercised horses, 854

Extracellular matrix
Cartilage oligomeric matrix protein: isolation and characterization from human articular cartilage, 422
Dimensional growth and extracellular matrix accumulation by neonatal rat mandibular condyles in long-term culture, 208
Increased expression of the β_1, α_5, and α_v integrin adhesion receptor subunits occurs conincident with remodeling of stress-deprived rabbit anterior cruciate and medial collateral ligaments, 594

Fatigue
Fatigue behavior of the equine third metacarpus: mechanical property analysis, 861
Mathematical model for repair of fatigue damage and stress fracture in osteonal bone, 309
Short communication. Cyclic compressive loading results in fatigue cracks in ultra high molecular weight polyethylene, 143

Femur
Arthritis not immobilization causes bone loss in the carrageenan injection model of inflammatory arthritis, 777
Bisphosphonate (pamidronate/APD) prevents arthritis-induced loss of fracture toughness in the rabbit femoral diaphysis, 876
Comparison of healing of allograft/endoprosthetic composites with three types of gluteus medius attachment, 105

Diminished material properties and altered bone structure in rat femora during pregnancy, 41
Effect of tissue culture storage on the *in vivo* survival of canine osteochondral allografts, 562
Femoral abnormalities and vitamin D metabolism in X-linked hypophosphatemic (Hyp and Gy) mice, 30
Hindlimb suspension diminishes femoral cross-sectional growth in the rat, 700
Induction of bone by a demineralized bone matrix gel: a study in a rat femoral defect model, 881
Short communication. Comparison of allograft/endoprosthetic composites with a step-cut or transverse osteotomy configuration, 639
Three-dimensional anatomy of the cancellous structures within the proximal femur from computed tomography data, 513
Tumor osteolysis in osteopetrotic mice, 892

Fibroblast growth factor
Effects of basic fibroblast growth factor, transforming growth factor-β1, insulin-like growth factor-1, and insulin on human osteoarthritic articular cartilage explants, 832
Regulation of chondrocyte maturation by fibroblast growth factor-2 and parathyroid hormone, 838
Transforming growth factor-β1 nd fibroblast growth factors in rat growth plate, 761

Fibroblasts
Autogenous flexor tendon grafts: fibroblast activity and matrix remodeling in dogs, 58
Adhesiveness of human ligament fibroblasts to laminin, 166
Changes of cytoskeletal architecture and incorporation of ^{3}H-proline in contracted anterior cruciate ligament, 50
Effect of growth factors on the proliferation of fibroblasts from the medial collateral and anterior cruciate ligaments, 184

Fibrous lesions
Platelet-derived growth factor in fibrous musculoskeletal disorders: a study of pathologic tissue sections and *in vitro* primary cell cultures, 67

Finite element model
Three-dimensional geometric and structural symmetry of the turkey ulna, 690

Fixation
Comparison of the effect of reamed and unreamed locked intramedullary nailing on blood flow in the callus and strength of union following fracture of the sheep tibia, 382
Contaminated fractures of the tibia: a comparison of treatment modalities in an animal model, 286
Cortical bone perfusion in plated fractured sheep tibiae, 715
Short communication. Tibial intercalary allograft incorporation: comparison of fixation with locked intramedullary nail and dynamic compression plate, 132

Force attenuation
Force attenuation in trochanteric soft tissues during impact from a fall, 956

Fracture
Bisphosphonate (pamidronate/APD) prevents arthritis-induced loss of fracture toughness in the rabbit femoral diaphysis, 876
Comparison of the effect of reamed and unreamed locked intramedullary nailing on blood flow in the callus and strength of union following fracture of the sheep tibia, 382
Comparison of residual stability in thoracolumbar spine fractures using neutral zone measurements, 533
Contaminated fractures of the tibia: a comparison of treatment modalities in an animal model, 286
Cortical bone perfusion in plated fractured sheep tibiae, 715
Immunolocalization and expression of bone morphogenetic proteins 2 and 4 in fracture healing, 357
Mathematical model for repair of fatigue damage and stress fracture in osteonal bone, 309
Subfracture insult to the human cadaver patellofemoral joint produces occult injury, 936

Friction
Method for the measurement of friction between tendon and pulley, 83

Gait
Torsional loads in the early postoperative period following total hip replacement, 945

Gamma irradiation
Dose-dependent response of gamma irradiation on mechanical properties and related biochemical composition of goat bone-patellar tendon-bone allografts, 898

Geometric properties
Comparative study of the size and shape of the human anterior and posterior cruciate ligaments, 429
Diminished material properties and altered bone structure in rat femora during pregnancy, 41
Hindlimb suspension diminishes femoral cross-sectional growth in the rat, 700
Immobilization of the knee joint alters the mechanical and ultrastructural properties of the rabbit anterior cruciate ligament, 191
Tensile properties of the supraspinatus tendon, 578
Three-dimensional geometric and structural symmetry of the turkey ulna, 690
Uniformity of resorptive bone loss induced by disuse, 708

Graft
Autogenous flexor tendon grafts: fibroblast activity and matrix remodeling in dogs, 58
Biomechanics of patellar tendon autograft for reconstruction of the anterior cruciate ligament in the goat: three-year study, 602
Comparison of healing of allograft/endoprosthetic composites with three types of gluteus medius attachment, 105
Effect of tissue culture storage on the *in vivo* survival of canine osteochondral allografts, 562
Intraoperative graft tensioning alters viscoelastic but not failure behaviours of rabbit medial collateral ligament autografts, 915
Reperfusion injury in vascularized bone allografts, 368
Short communication. Autogenous intrasynovial and extrasynovial tendon grafts: an experimental study of pro α1(I) collagen mRNA expression in dogs, 459
Short communication. Comparison of allograft/endoprosthetic composites with a step-cut or transverse osteotomy configuration, 639
Short communication. Tibial intercalary allograft incorporation: comparison of fixation with locked intramedullary nail and dynamic compression plate, 132

Growth
Dimensional growth and extracellular matrix accumulation by neonatal rat mandibular condyles in long-term culture, 208
Hindlimb suspension diminishes femoral cross-sectional growth in the rat, 700
Short communication. Growth of severed flexor tendons in chickens, 138

Growth factors
Effect of growth factors on the proliferation of fibroblasts from the medial collateral and anterior cruciate ligaments, 184
Effects of basic fibroblast growth factor, transforming growth factor-β1, insulin-like growth factor-1, and insulin on human osteoarthritic articular cartilage explants, 832
Involvement of platelets in stimulating osteogenic activity, 655
Platelet-derived growth factor in fibrous musculoskeletal disorders: a study of pathologic tissue sections and *in vitro* primary cell cultures, 67
Regional mitogenic response of the meniscus to platelet-derived growth factor (PDGF-AB), 201
Synergistic effect of growth factors on cell outgrowth from explants of rabbit anterior cruciate and medial collateral ligaments, 435
Transforming growth factor-β1 and fibroblast growth factors in rat growth plate, 761

Growth plate
Regulation of chondrocyte maturation by fibroblast growth factor-2 and parathyroid hormone, 838
Serum fractions and related agonists with calcium-mobilizing activity in the bovine growth plate chondrocyte, 220
Structure of chondroitin sulfate on aggrecan isolated from bovine tibial and costochondral growth plates, 230
Transforming growth factor-β1 and fibroblast growth factors in rat growth plate, 761

Guanidine extract
Short communication. Use of a guanidine extract of demineralized bone in the treatment of osteochondral defects of articular cartilage, 464

Healing
Comparison of healing of allograft/endoprosthetic composites with three types of gluteus medius attachment, 105
Effect of growth factors on the proliferation of fibroblasts from the medial collateral and anterior cruciate ligaments, 184
Effects of excimer laser on healing of articular cartilage in rabbits, 483
Healing of the medial collateral ligament after a combined medial collateral and anterior cruciate ligament injury and reconstruction of the anterior cruciate ligament: comparison of repair and non-repair of medial collateral ligament tears in rabbits, 442
Immunolocalization and expression of bone morphogenetic proteins 2 and 4 in fracture healing, 357
Integrative repair of articular cartilage *in vitro*: adhesive strength of the interface region, 751
Integrin receptor display increases in the wounded rabbit medial collateral ligament but not the wounded anterior cruciate ligament, 174
Rabbit medial collateral ligament scar weakness is associated with decreased collagen pyridinoline crosslink density, 157
Regional mitogenic response of the meniscus to platelet-derived growth factor (PDGF-AB), 201
Short communication. Autogenous intrasynovial and extrasynovial tendon grafts: an experimental study of pro α1(I) collagen mRNA expression in dogs, 459
Short communication. Use of a guanidine extract of demineralized bone in the treatment of osteochondral defects of articular cartilage, 464
Should bone, soft-tissue, and joint injuries be treated with rest or activity (editorial), 155
Soft-tissue "flaws" are associated with the material properties of the healing rabbit medial collateral ligament, 923

Heat generation
Thermal response and torque resistance of five cortical half-pins under simulated insertion technique, 615

Hip
Elastase activity, uninhibited by α_1-antitrypsin, in the periprosthetic connective matrix around loose total hip prostheses, 296
Force attenuation in trochanteric soft tissues during impact from a fall, 956
In vitro evaluation of bonding of the cement-metal interface of a total hip femoral component using ultrasound, 335
Torsional loads in the early postoperative period following total hip replacement, 945

Hydrostatic pressure
Influence of short-term hydrostatic pressure on organization of stress fibers in cultured chondrocytes, 495

Hypophosphatemia
Femoral abnormalities and vitamin D metabolism in X-linked hypophosphatemic (Hyp and Gy) mice, 30

Ilizarov method
Ilizarov callus distraction produces systemic bone cell mitogens, 629

Immobilization
Arthritis not immobilization causes bone loss in the carrageenan injection model of inflammatory arthritis, 777
Changes of cytoskeletal architecture and incorporation of ^{3}H-proline in contracted anterior cruciate ligament, 50
Immobilization of the knee joint alters the mechanical and ultrastructural properties of the rabbit anterior cruciate ligament, 191
Increased expression of the β_1, α_5, and α_v integrin adhesion receptor subunits occurs coincident with remodeling of stress-deprived rabbit anterior cruciate and medial collateral ligaments, 594
Indomethacin
Indomethacin inhibition of ossification induced by direct current stimulation, 123
Infection
Contaminated fractures of the tibia: a comparison of treatment modalities in an animal model, 286
Inflammatory arthritis
Arthritis not immobilization causes bone loss in the carrageenan injection model of inflammatory arthritis, 777
Bisphosphonate (pamidronate/APD) prevents arthritis-induced loss of fracture toughness in the rabbit femoral diaphysis, 876
Laxity characteristics of normal and pathological murine knee joints *in vitro*, 783
Innervation
Changes in innervation of long bones after insertion of an implant: immunocytochemical study in goats with antibodies to calcitonin gene-related peptide and B-50/GAP-43, 570
Histomorphometric analysis of innervation of the anterior cruciate ligament in osteoarthritis, 78
Interleukin
Human monocyte response to particulate biomaterials generated *in vivo* and *in vitro*, 792
Interstitial pH
Correlation between synthetic activity and glycosaminoglycan concentration in epiphyseal cartilage raises questions about the regulatory role of interstitial pH, 733
Time-dependent changes in the response of cartilage to static compression suggest interstitial pH is not the only signaling mechanism, 740
***In situ* hybridization**
Osteosarcoma oncogene expression detected by *in situ* hybridization, 671
Insulin-like growth factor
Comparison of the type-2 insulin-like growth factor receptor in normal osteoblasts and osteosarcoma-derived osteoblast-like cells, 643
Effects of basic fibroblast growth factor, transforming growth factor-β1, insulin-like growth factor-1, and insulin on human osteoarthritic articular cartilage explants, 832
Integrins
Increased expression of the β_1, α_5, and α_v integrin adhesion receptor subunits occurs coincident with remodeling of stress-deprived rabbit anterior cruciate and medial collateral ligaments, 594
Integrin receptor display increases in the wounded rabbit medial collateral ligament but not the wounded anterior cruciate ligament, 174
Joint contact
Contact areas in the thumb carpometacarpal joint, 450
Reduction of patellofemoral contact forces following anterior displacement of the tibial tubercle, 279
Kinematics
Letter to the Editors, 470
Patellar tracking measurement in the normal knee, 115
Knee
Combined knee loading states that generate high anterior cruciate ligament forces, 930
Comparative study of the size and shape of the human anterior and posterior cruciate ligaments, 429
Effects of valgus tibial angulation on cartilage degeneration in the rabbit knee, 846
Femoral component migration in total knee arthroplasty: randomized study comparing cemented and uncemented fixation of the Miller-Galante I design, 347
Immobilization of the knee joint alters the mechanical and ultrastructural properties of the rabbit anterior cruciate ligament, 191
Laxity characteristics of normal and pathological murine knee joints *in vitro*, 783
Osteoarthritis in cynomolgus macaques. II. Detection of modulated proteoglycan epitopes in cartilage and synovial fluid, 399
Patellar tracking measurement in the normal knee, 115
Reduction of patellofemoral contact forces following anterior displacement of the tibial tubercle, 279
Short communication. Imaging of immature articular cartilage using ultrasound backscatter microscopy at 50 MHz, 963
Subfracture insult to the human cadaver patellofemoral joint produces occult injury, 936
Laminin
Adhesiveness of human ligament fibroblasts to laminin, 166
Laser micrometry system
Comparative study of the size and shape of the human anterior and posterior cruciate ligaments, 429
Laxity
Biomechanical analysis of the ankle anterior drawer test for anterior talofibular ligament injuries, 609
Intraoperative graft tensioning alters viscoelastic but not failure behaviours of rabbit medial collateral ligament autografts, 915
Laxity characteristics of normal and pathological murine knee joints *in vitro*, 783
Letter to the Editors
152, 470, 642, 971
Ligament
Adhesiveness of human ligament fibroblasts to laminin, 166
Biomechanical analysis of the ankle anterior drawer test for anterior talofibular ligament injuries, 609
Biomechanics of patellar tendon autograft for reconstruction of the anterior cruciate ligament in the goat: three-year study, 602
Changes of cytoskeletal architecture and incorporation of ^{3}H-proline in contracted anterior cruciate ligament, 50
Combined knee loading states that generate high anterior cruciate ligament forces, 930
Comparative study of the size and shape of the human anterior and posterior cruciate ligaments, 429
Effect of growth factors on the proliferation of fibroblasts from the medial collateral and anterior cruciate ligaments, 184
Healing of the medial collateral ligament after a combined medial collateral and anterior cruciate ligament injury and reconstruction of the anterior cruciate ligament: comparison of repair and nonrepair of medial collateral ligament tears in rabbits, 442
Histomorphometric analysis of innervation of the anterior cruciate ligament in osteoarthritis, 78
Immobilization of the knee joint alters the mechanical and ultrastructural properties of the rabbit anterior cruciate ligament, 191
Increased expression of the β_1, α_5, and α_v integrin adhesion receptor subunits occurs coincident with remodeling of stress-deprived rabbit anterior cruciate and medial collateral ligaments, 594
Integrin receptor display increases in the wounded rabbit medial collateral ligament but not the wounded anterior cruciate ligament, 174
Intraoperative graft tensioning alters viscoelastic but not failure behaviours of rabbit medial collateral ligament autografts, 915
Letter to the Editors, 642
Mechanical behavior of articular cartilage in shear is altered by transection of the anterior cruciate ligament, 473
Rabbit medial collateral ligament scar weakness is associated with decreased collagen pyridinoline crosslink density, 157
Short communication. Hamstrings and gastrocnemius co-contraction protects the anterior cruciate ligament against failure: an *in vivo* study in the rat, 147
Soft-tissue "flaws" are associated with the material properties of the healing rabbit medial collateral ligament, 923
Synergistic effect of growth factors on cell outgrowth from explants of rabbit anterior cruciate and medial collateral ligaments, 435
Load
Chondrocyte deformation and local tissue strain in articular cartilage: a confocal microscopy study, 410
Combined knee loading states that generate high anterior cruciate ligament forces, 930
Effect of static load on matrix synthesis rates in the intervertebral disc measured *in vitro* by a new perfusion technique, 22
Effect of stress deprivation and cyclic tensile loading on the material and morphologic properties of canine flexor digitorum profundus tendon: an *in vitro* study, 907
Fatigue behavior of the equine third metacarpus: mechanical property analysis, 861
Intraoperative graft tensioning alters viscoelastic but not failure behaviours of rabbit medial collateral ligament autografts, 915
Proliferative and phenotypic responses of bone-like cells to mechanical deformation, 664
Short communication. Cyclic compressive loading results in fatigue cracks in ultra high molecular weight polyethylene, 143
Short communication. Frozen storage increases the ultimate compressive load of porcine vertebrae, 809
Subfracture insult to the human cadaver patellofemoral joint produces occult injury, 936
Tensile properties of the supraspinatus tendon, 578
Time-dependent changes in the response of cartilage to static compression suggest interstitial pH is not the only signaling mechanism, 740
Macrophages
Polymethylmethacrylate-stimulated macrophages increase rat osteoclast precursor recruitment through their effect on osteoblasts *in vitro*, 325
Magnetic resonance imaging
Quantitation of articular cartilage using magnetic resonance imaging and three-dimensional reconstruction, 814
Mandible
Dimensional growth and extracellular matrix accumulation by neonatal rat mandibular condyles in long-term culture, 208
Mathematical model
Mathematical model for repair of fatigue damage and stress fracture in osteonal bone, 309
Proposal for the regulatory mechanism of Wolff's law, 503
Meniscus
Regional mitogenic response of the meniscus to platelet-derived growth factor (PDGF-AB), 201
Metabolism
Correlation between synthetic activity and glycosaminoglycan concentration in epiphyseal cartilage raises questions about the regulatory role of interstitial pH, 733
Effect of static load on matrix synthesis rates in the intervertebral disc measured *in vitro* by a new perfusion technique, 22
Effects of fluid-induced shear on articular chondrocyte morphology and metabolism *in vitro*, 824
Metacarpus
Fatigue behavior of the equine third metacarpus: mechanical property analysis, 861
Metalloproteinase
Effects of fluid-induced shear on articular chondrocyte morphology and metabolism *in vitro*, 824

Osteosarcoma oncogene expression detected by *in situ* hybridization, 671

Mitogens
Ilizarov callus distraction produces systemic bone cell mitogens, 629
Regional mitogenic response of the meniscus to platelet-derived growth factor (PDGF-AB), 201

Moment-generating capacity
Preserving plantar flexion strength after surgical treatment for contracture of the triceps surae: a computer simulation study, 96

Muscle
Co-contraction of lumbar muscles during the development of time-varying triaxial moments, 390
Effects of freeze/thaw conditioning on the tensile properties and failure mode of bone-muscle-bone units: a biomechanical and histological study in dogs, 90
Fiber composition and fiber transformations in neck muscles of patients with dysfunction of the cervical spine, 240
Letter to the Editors, 642
Preserving plantar flexion strength after surgical treatment for contracture of the triceps surae: a computer simulation study, 96
Role of muscles in lumbar spine stability in maximum extension efforts, 802
Short communication. Hamstrings and gastrocnemius co-contraction protects the anterior cruciate ligament against failure: an *in vivo* study in the rat, 147

Nailing
Comparison of the effect of reamed and unreamed locked intramedullary nailing on blood flow in the callus and strength of union following fracture of the sheep tibia, 382
Contaminated fractures of the tibia: a comparison of treatment modalities in an animal model, 286
Short communication. Tibial intercalary allograft incorporation: comparison of fixation with locked intramedullary nail and dynamic compression plate, 132

Orthopaedic education
International orthopaedic education (editorial), 2

Ossification
Indomethacin inhibition of ossification induced by direct current stimulation, 123
Regulation of chondrocyte maturation by fibroblast growth factor-2 and parathyroid hormone, 838
Transforming growth factor-β1 and fibroblast growth factors in rat growth plate, 761

Osteoarthritis
Effects of basic fibroblast growth factor, transforming growth factor-β1, insulin-like growth factor-1, and insulin on human osteoarthritic articular cartilage explants, 832
Expression of type-X collagen in osteoarthritis, 4
Histomorphometric analysis of innervation of the anterior cruciate ligament in osteoarthritis, 78
Laxity characteristics of normal and pathological murine knee joints *in vitro*, 783
Lysyl oxidase and Maillard reaction-mediated crosslinks in aging and osetoarthritic rabbit cartilage, 13
Osteoarthritis in cynomolgus macaques. II. Detection of modulated proteoglycan epitopes in cartilage and synovial fluid, 399
Primary osteoarthrosis in guinea pigs: a stereological study, 769

Osteoblasts
Comparison of the type-2 insulin-like growth factor receptor in normal osteoblasts and osteosarcoma-derived osteoblast-like cells, 643
Effect of tissue culture storage on the *in vivo* survival of canine osteochondral allografts, 562
Involvement of platelets in stimulating osteogenic activity, 655
Modulation of cell phenotype in human osteoblast-like cells by the simian virus, 40, 317
Polymethylmethacrylate-stimulated macrophages increase rat osteoclast precursor recruitment through their effect on osteoblasts *in vitro*, 325

Osteogenesis
Effect of bone cylinder length on distraction osteogenesis in the rabbit tibia, 620
Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 679
Induction of bone by a demineralized bone matrix gel: a study in a rat femoral defect model, 881

Osteosarcoma
Comparison of the type-2 insulin-like growth factor receptor in normal osteoblasts and osteosarcoma-derived osteoblast-like cells, 643
Osteosarcoma oncogene expression detected by *in situ* hybridization, 671
Tumor osteolysis in osteopetrotic mice, 892

Osteotomy configuration
Short communication. Comparison of allograft/endoprosthetic composites with a step-cut or transverse osteotomy configuration, 639

Parathyroid hormone
Regulation of chondrocyte maturation by fibroblast growth factor-2 and parathyroid hormone, 838

Peer review
Peer review of scientific articles (editorial), 1

Pentosidine
Lysyl oxidase and Maillard reaction-mediated crosslinks in aging and osetoarthritic rabbit cartilage, 13

Phenotypic response
Proliferative and phenotypic responses of bone-like cells to mechanical deformation, 664

Pins
Thermal response and torque resistance of five cortical half-pins under simulated insertion technique, 615

Plantar flexion
Biomechanical analysis of the ankle anterior drawer test for anterior talofibular ligament injuries, 609
Letter to the Editors, 971
Preserving plantar flexion strength after surgical treatment for contracture of the triceps surae: a computer simulation study, 96

Platelet-derived growth factor
Ilizarov callus distraction produces systemic bone cell mitogens, 629
Platelet-derived growth factor in fibrous musculoskeletal disorders: a study of pathologic tissue sections and *in vitro* primary cell cultures, 67
Regional mitogenic response of the meniscus to platelet-derived growth factor (PDGF-AB), 201
Serum fractions and related agonists with calcium-mobilizing activity in the bovine growth plate chondrocyte, 220

Platelets
Involvement of platelets in stimulating osteogenic activity, 655

Polyethylene
Human monocyte response to particulate biomaterials generated *in vivo* and *in vitro*, 792
Letter to the Editors, 152
Short communication. Cyclic compressive loading results in fatigue cracks in ultra high molecular weight polyethylene, 143

Polylactide-polyglycolide
Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 679

Pregnancy
Diminished material properties and altered bone structure in rat femora during pregnancy, 41

Pro α1(I) collagen
Short communication. Autogenous intrasynovial and extrasynovial tendon grafts: an experimental study of pro α1(I) collagen mRNA expression in dogs, 459

Prostaglandin E_2
Human monocyte response to particulate biomaterials generated *in vivo* and *in vitro*, 792

Prosthesis
Changes in innervation of long bones after insertion of an implant: immunocytochemical study in goats with antibodies to calcitonin gene-related peptide and B-50/GAP-43, 570
Closeness of fit of uncemented stems improves the strain distribution in the femur, 339
Comparison of healing of allograft/endoprosthetic composites with three types of gluteus medius attachment, 105
Elastase activity, uninhibited by α_1-antitrypsin, in the periprosthetic connective matrix around loose total hip prostheses, 296
Femoral component migration in total knee arthroplasty: randomized study comparing cemented and uncemented fixation of the Miller-Galante I design, 347
In vitro evaluation of bonding of the cement-metal interface of a total hip femoral component using ultrasound, 335
Polymethylmethacrylate-stimulated macrophages increase rat osteoclast precursor recruitment through their effect on osteoblasts *in vitro*, 325
Short communication. Comparison of allograft/endoprosthetic composites with a step-cut or transverse osteotomy configuration, 639
Torsional loads in the early postoperative period following total hip replacement, 945

Pulley
Method for the measurement of friction between tendon and pulley, 83

Pyridinoline
Lysyl oxidase and Maillard reaction-mediated crosslinks in aging and osetoarthritic rabbit cartilage, 13
Rabbit medial collateral ligament scar weakness is associated with decreased collagen pyridinoline crosslink density, 157

Quantitative computed tomography
Three-dimensional anatomy of the cancellous structures within the proximal femur from computed tomography data, 513

Remodeling
Autogenous flexor tendon grafts: fibroblast activity and matrix remodeling in dogs, 58
Changes in innervation of long bones after insertion of an implant: immunocytochemical study in goats with antibodies to calcitonin gene-related peptide and B-50/GAP-43, 570
Mathematical model for repair of fatigue damage and stress fracture in osteonal bone, 309
Proposal for the regulatory mechanism of Wolff's law, 503
Uniformity of resorptive bone loss induced by disuse, 708

Resorption
Endochondral resorption of chick sterna in culture, 542

Scar tissue
Rabbit medial collateral ligament scar weakness is associated with decreased collagen pyridinoline crosslink density, 157
Soft-tissue "flaws" are associated with the material properties of the healing rabbit medial collateral ligament, 923

Shear
Effects of fluid-induced shear on articular chondrocyte morphology and metabolism *in vitro*, 824
Mechanical behavior of articular cartilage in shear is altered by transection of the anterior cruciate ligament, 473

Shear modulus
Diminished material properties and altered bone structure in rat femora during pregnancy, 41
Bisphosphonate (pamidronate/APD) prevents arthritis-induced loss of fracture toughness in the rabbit femoral diaphysis, 876

Simian virus 40
Modulation of cell phenotype in human osteoblast-like cells by the simian virus, 40, 317

Spine
Comparison of residual stability in thoracolumbar spine fractures using neutral zone measurements, 533
Effect of static load on matrix synthesis rates in the

intervertebral disc measured *in vitro* by a new perfusion technique, 22
Fiber composition and fiber transformations in neck muscles of patients with dysfunction of the cervical spine, 240
Role of muscles in lumbar spine stability in maximum extension efforts, 802
Short communication. Frozen storage increases the ultimate compressive load of porcine vertebrae, 809

Sternum
Endochondral resorption of chick sterna in culture, 542

Strain distribution
Closeness of fit of uncemented stems improves the strain distribution in the femur, 339
Texture correlation: a method for the measurement of detailed strain distributions within trabecular bone, 258

Stress deprivation
Effect of stress deprivation and cyclic tensile loading on the material and morphologic properties of canine flexor digitorum profundus tendon: an *in vitro* study, 907
Increased expression of the β_1, α_5, and α_v integrin adhesion receptor subunits occurs coincident with remodeling of stress-deprived rabbit anterior cruciate and medial collateral ligaments, 594

Stress fibers
Influence of short-term hydrostatic pressure on organization of stress fibers in cultured chondrocytes, 495

Stress/strain at failure
Dose-dependent response of gamma irradiation on mechanical properties and related biochemical composition of goat bone-patellar tendon-bone allografts, 898
Immobilization of the knee joint alters the mechanical and ultrastructural properties of the rabbit anterior cruciate ligament, 191
Intraoperative graft tensioning alters viscoelastic but not failure behaviours of rabbit medial collateral ligament autografts, 915
Rabbit medial collateral ligament scar weakness is associated with decreased collagen pyridinoline crosslink density, 157
Soft-tissue "flaws" are associated with the material properties of the healing rabbit medial collateral ligament, 923
Tensile properties of the supraspinatus tendon, 578

Symmetry
Three-dimensional geometric and structural symmetry of the turkey ulna, 690
Uniformity of resorptive bone loss induced by disuse, 708

Synovial fluid
Osteoarthritis in cynomolgus macaques. II. Detection of modulated proteoglycan epitopes in cartilage and synovial fluid, 399

Tendon
Autogenous flexor tendon grafts: fibroblast activity and matrix remodeling in dogs, 58
Biomechanics of patellar tendon autograft for reconstruction of the anterior cruciate ligament in the goat: three-year study, 602
Comparison of healing of allograft/endoprosthetic composites with three types of gluteus medius attachment, 105
Dose-dependent response of gamma irradiation on mechanical properties and related biochemical composition of goat bone-patellar tendon-bone allografts, 898
Effect of stress deprivation and cyclic tensile loading on the material and morphologic properties of canine flexor digitorum profundus tendon: an *in vitro* study, 907
Method for the measurement of friction between tendon and pulley, 83
Short communication. Autogenous intrasynovial and extrasynovial tendon grafts: an experimental study of pro α1(I) collagen mRNA expression in dogs, 459
Short communication. Growth of severed flexor tendons in chickens, 138
Structure and histopathology of the insertional region of the human Achilles tendon, 585
Tensile properties of the supraspinatus tendon, 578

Texture correlation
Texture correlation: a method for the measurement of detailed strain distributions within trabecular bone, 258

Three-dimensional model
Preserving plantar flexion strength after surgical treatment for contracture of the triceps surae: a computer simulation study, 96
Quantitation of articular cartilage using magnetic resonance imaging and three-dimensional reconstruction, 814

Thumb
Contact areas in the thumb carpometacarpal joint, 450

Tibia
Atrophic nonunion can be predicted with dual energy x-ray absorptiometry in a canine osteotomy model, 869
Changes in innervation of long bones after insertion of an implant: immunocytochemical study in goats with antibodies to calcitonin gene-related peptide and B-50/GAP-43, 570
Comparison of the effect of reamed and unreamed locked intramedullary nailing on blood flow in the callus and strength of union following fracture of the sheep tibia, 382
Comparison of the electrical and dielectric behavior of wet human cortical and cancellous bone tissue from the distal tibia, 524
Contaminated fractures of the tibia: a comparison of treatment modalities in an animal model, 286
Cortical bone perfusion in plated fractured sheep tibiae, 715
Effect of bone cylinder length on distraction osteogenesis in the rabbit tibia, 620
Effects of valgus tibial angulation on cartilage degeneration in the rabbit knee, 846
Patellar tracking measurement in the normal knee, 115
Primary osteoarthrosis in guinea pigs: a stereological study, 769
Reduction of patellofemoral contact forces following anterior displacement of the tibial tubercle, 279
Reperfusion injury in vascularized bone allografts, 368
Short communication. Tibial intercalary allograft incorporation: comparison of fixation with locked intramedullary nail and dynamic compression plate, 132
Structure of chondroitin sulfate on aggrecan isolated from bovine tibial and costochondral growth plates, 230

Tissue culture storage
Effect of tissue culture storage on the *in vivo* survival of canine osteochondral allografts, 562

Titanium
Human monocyte response to particulate biomaterials generated *in vivo* and *in vitro*, 792

Torque
Bisphosphonate (pamidronate/APD) prevents arthritis-induced loss of fracture toughness in the rabbit femoral diaphysis, 876
Combined knee loading states that generate high anterior cruciate ligament forces, 930
Diminished material properties and altered bone structure in rat femora during pregnancy, 41
Hindlimb suspension diminishes femoral cross-sectional growth in the rat, 700
Short communication. Comparison of allograft/endoprosthetic composites with a step-cut or transverse osteotomy configuration, 639
Thermal response and torque resistance of five cortical half-pins under simulated insertion technique, 615
Torsional loads in the early postoperative period following total hip replacement, 945

Transforming growth factor-β
Effects of basic fibroblast growth factor, transforming growth factor-β1, insulin-like growth factor-1, and insulin on human osteoarthritic articular cartilage explants, 832
Ilizarov callus distraction produces systemic bone cell mitogens, 629
Osteosarcoma oncogene expression detected by *in situ* hybridization, 671
Transforming growth factor-β1 and fibroblast growth factors in rat growth plate, 761

Triaxial moments
Co-contraction of lumbar muscles during the development of time-varying triaxial moments, 390

Ulna
Three-dimensional geometric and structural symmetry of the turkey ulna, 690

Ultrasound
In vitro evaluation of bonding of the cement-metal interface of a total hip femoral component using ultrasound, 335
Short communication. Imaging of immature articular cartilage using ultrasound backscatter microscopy at 50 MHz, 963

University of Wisconsin solution
Evaluation of influence of 24-hour cold preservation on endothelin production and on endothelin receptors in the bone vasculature, 725
Reperfusion injury in vascularized bone allografts, 368

Vascularity
Evaluation of influence of 24-hour cold preservation on endothelin production and on endothelin receptors in the bone vasculature, 725
Evaluation of vascular compliance and vasoconstrictive reactions in amputated hindlimbs of rats, 375
Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 679
Indomethacin inhibition of ossification induced by direct current stimulation, 123

Vitamin D
Femoral abnormalities and vitamin D metabolism in X-linked hypophosphatemic (Hyp and Gy) mice, 30

Water content
Effect of static load on matrix synthesis rates in the intervertebral disc measured *in vitro* by a new perfusion technique, 22
Effect of stress deprivation and cyclic tensile loading on the material and morphologic properties of canine flexor digitorum profundus tendon: an *in vitro* study, 907
Mechanical behavior of articular cartilage in shear is altered by transection of the anterior cruciate ligament, 473

Wear damage
Human monocyte response to particulate biomaterials generated *in vivo* and *in vitro*, 792
Short communication. Cyclic compressive loading results in fatigue cracks in ultra high molecular weight polyethylene, 143

Wolff's law
Proposal for the regulatory mechanism of Wolff's law, 503

X-linked hypophosphatemia
Femoral abnormalities and vitamin D metabolism in X-linked hypophosphatemic (Hyp and Gy) mice, 30